Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 32

NUMBER 39

SEPTEMBER 28, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

II

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

V

CONTENTS.

Page.

The accuracy of certified causes of death—Its relation to mortality statistics and the international list 1557

PREVALENCE OF DISEASE.

United States:
- Current State summaries—
  - California report for the week ended September 22, 1917 1633
- Reciprocal notification—
  - Minnesota 1634
- Anthrax—
  - Louisiana 1635
  - Louisiana report for August, 1917 1635
- Cerebrospinal meningitis—
  - State reports for August, 1917 1635
  - Alabama report for July, 1917 1635
  - City reports for week ended September 8, 1917 1636
- Dysentery—
  - Kentucky—Quicksand 1636
  - Montana—Sand Coulee and Stockett 1636
  - Virginia—Narrows 1636
- Erysipelas—
  - City reports for week ended September 8, 1917 1636
- Leprosy—
  - Louisiana—Garyville 1637
- Malaria—
  - State reports for August, 1917 1637
  - City reports for week ended September 8, 1917 1637
- Pellagra—
  - State reports for August, 1917 1638
  - City reports for week ended September 8, 1917 1638
- Pneumonia—
  - City reports for week ended September 8, 1917 1638
- Poliomyelitis—
  - Illinois—Cook County 1639
  - Pennsylvania—Pittsburgh 1639
  - Virginia 1639
  - State reports for August, 1917 1639
  - Alabama report for July, 1917 1640
  - City reports for week ended September 8, 1917 1641
- Rabies in animals—
  - City reports for week ended September 8, 1917 1641
- Smallpox—
  - Minnesota 1641
  - Wisconsin—Barron County—Correction 1641
  - State reports for August, 1917 1642
  - Miscellaneous State reports 1644
  - City reports for week ended September 8, 1917 1644

United States—Continued.
Tetanus— Page.
City reports for week ended September 8, 1917 1645
Typhoid fever—
Indiana—South Bend 1645
State reports for August, 1917 1645
Alabama report for July, 1917 1650
City reports for week ended September 8, 1917 1650
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for August, 1917 1651
Alabama report for July, 1917 1651
City reports for week ended September 8, 1917 1652
Foreign:
China—
Examination of rats—Plague rats—Hongkong 1655
Cuba—
Quarantine against Venezuelan ports removed 1655
Union of South Africa—
Typhus fever—East London 1655
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended September 28, 1917—
Cholera 1655
Plague 1656
Smallpox 1656
Typhus fever 1656
Reports received from June 30 to September 21, 1917—
Cholera 1657
Plague 1657
Smallpox 1659
Typhus fever 1661
Yellow fever 1662